



MRCS159

MediaRange DisplayPort[™] Connection Cable (Ver. 1.2), 10 Gbps, 2.0m, Black

MediaRange DisplayPort[™] Connection Cables are engineered to deliver stunning visuals and seamless connectivity for your audio-visual experience, whether for entertainment, gaming, or professional presentations. Our wide range of dependable high quality cables guarantees a reliable and efficient connectivity solution for various applications. With data transfer rate of up to 10 Gbps, this cable is designed to meet the demands of modern digital devices.

Technical Specs:

- Cable Type: DisplayPort[™] Connection Cable (Ver. 1.2), 20-Pin
- Data Transfer Rate: Up to 10 Gbps
- Supports 4k UHD (3840x2160p), 3D
- Gold-Plated Contacts
- AWG: 30 (0,255mm diameter)
- Double Shielded

MediaRange GmbH Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29 Ort: D – 65812 Bad Soden Tel.: +49 (0)61 965 2381 80 Fax: +49 (0)61 965 2381 89 Internet: www.mediarange.de E-Mail: info@mediarange.de



- Shape: Round
- Length: 2.0m
- Color: Black

Note:

DisplayPort[™] and the logo are registered trademarks of VESA.

MediaRange GmbH Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29 Ort: D – 65812 Bad Soden Tel.: +49 (0)61 965 2381 80 Fax: +49 (0)61 965 2381 89 Internet: www.mediarange.de E-Mail: info@mediarange.de



FEATURES

- High Definition Video and Audio Transmission: Supports the transmission of high-definition video and audio signals, allowing you to connect various devices such as TVs, Blu-ray players, gaming consoles, and computers.
- High-Speed Data Transfer with up to 10 Gbps: Ensures swift and reliable transmission of highdefinition audio and video signals in 4k UHD (3840x2160p) and 3D.
- 3D Capability: Support 3D video formats, allowing you to enjoy immersive 3D content when connected to compatible devices such as 3D TVs and Blu-ray players.
- 20-Pin, ver. 1.2: Featuring a 20-pin configuration, this cable enhances data transmission efficiency and reliability, catering to the needs of modern networking systems.
- Deep Color and x.v.Color Support: Supports Deep Color and x.v.Color technologies, allowing for more vibrant and lifelike color reproduction in supported content.
- Durable Design: The cable is double-shielded and designed in a round shape. This combination ensures enhanced protection against electromagnetic interference, maintaining a stable and reliable connection.
- 2.0m Length: Providing a suitable and practical length for connecting devices over short to medium distances.

APPLICATIONS

- Home Entertainment: Perfect for connecting a video device with a monitor, TV, computer and other devices.
- Gaming: Delivering optimal performance and reliability for an excellent gaming experience.
- Business: Professional Presentations with reliable connectivity for projectors and displays.

EAN Code Piece:4260459612650

EAN Code Carton:4260459612667

MediaRange GmbH Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29 Ort: D – 65812 Bad Soden Tel.: +49 (0)61 965 2381 80 Fax: +49 (0)61 965 2381 89 Internet: www.mediarange.de E-Mail: info@mediarange.de