



MRMA114 MediaRange 12W Fast Charging Adapter (EU-Plug), 2x USB-A, White

Our wall chargers are excellent for charging smartphones, tablets, or other mobile devices through electrical outlets. The charging adapter has a maximum power output of 12W, featuring 2 USB-A charging ports that allow the simultaneous charging of up to two devices from a single outlet. Intelligent and state-of-the-art chipsets continuously control and monitor the charging power and temperature throughout the entire charging process. Our 12W charging adapter is Intertek GS certified and, in addition to all relevant protective mechanisms, also boasts a shock-and fire-resistant V0-rated housing made of polycarbonate, ensuring the highest level of safety.

Technical Specs

- 12W fast charging adapter with Type-C EU-Plug
- Intertek GS-Approved
- Suitable for simultaneous charging of several terminals
- Shock and fire resistant V0 polycarbonate housing
- Intelligent chipsets for permanent monitoring of the charging process

MediaRange GmbH Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29 Ort: D – 65812 Bad Soden Tel.: +49 (0)61 965 2381 80 Fax: +49 (0)61 965 2381 89 Internet: www.mediarange.de E-Mail: info@mediarange.de



- Overvoltage protection, overcharge protection, short-circuit protection and overheating protection
- Input voltage / Input frequency / Input current: AC 100-240V~50/60Hz; 0.5A (max.)
- Output voltage / Output current / Output power total:
- USB-A1: DC 5.0V?2.4A (12.0W max.)
- USB-A2: DC 5.0V?2.4A (12.0W max.)
- Combined output power: USB-A1 + USB-A2: DC 5.0V?2.4A (12.0W max.)
- Average efficiency during operation: 80.68%
- Efficiency at low load (10%): 79.03%
- Power consumption at zero load: 0.052W
- Dimensions: Approx. 41 x 25.9 x 78.2mm
- Weight: Approx. 46g
- Colour: White

MediaRange GmbH Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29 Ort: D - 65812 Bad Soden Tel.: +49 (0)61 965 2381 80 Fax: +49 (0)61 965 2381 89 Internet: www.mediarange.de E-Mail: info@mediarange.de



FEATURES

- Dual USB-A Ports: Featuring 2 USB-A ports, the adapter allows simultaneous charging of two devices with a combined output power of 12.0W.
- Intertek GS-Approved: Our charging adapters are manufactured in compliance with the highest safety standards and feature all relevant protective mechanisms, along with a shock-and fire-resistant V0-grade polycarbonate casing.
- Compact Dimensions: With dimensions of 41 x 25.9 x 78.2mm and a weight of 46g, the MediaRange 12W Charging Adapter is designed to be compact and lightweight, making it an ideal travel companion.

APPLICATIONS

- Smartphones and Tablets: Ensure constant connectivity for your crucial communication tools. Designed for efficiency and reliability, it provides a swift and consistent charge, keeping your smartphones and tablets powered at any time.
- Wearables: Optimize the performance of your smartwatches and fitness trackers. Engineered to meet the specific charging needs of wearables, it guarantees a quick and efficient power-up.
- Other Mobile Devices: Experience versatile charging for a range of mobile devices, from cameras to gaming controllers. Our charging solution provides a universal power source, ensuring optimal charging for all your tech essentials.

EAN Code Piece:4260664872559

EAN Code Carton:4260664872566

MediaRange GmbH Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29 Ort: D – 65812 Bad Soden Tel.: +49 (0)61 965 2381 80 Fax: +49 (0)61 965 2381 89 Internet: www.mediarange.de E-Mail: info@mediarange.de