



MRMA113

MediaRange 43W Fast Charging Adapter (EU-Plug), 1x USB-C and 1x USB-A, USB-C[®] Power Delivery and Quick Charge[™] enabled, White

Our wall chargers are excellent for charging smartphones, tablets, or other mobile devices such as laptops through electrical outlets. The charging adapter has a maximum power output of 43W, featuring 1x USB-C and 1x USB-A charging ports that allow the simultaneous charging of up to two devices from a single outlet. Intelligent and state-of-the-art chipsets continuously control and monitor the charging power and temperature throughout the entire charging process. Our 43W charging adapter is Intertek GS certified and, in addition to all relevant protective mechanisms, also boasts a shock- and fire-resistant V0-rated housing made of polycarbonate, ensuring the highest level of safety.

Technical Specs:

- Supports USB Type-C[®] Power Delivery 3.0, Quick Charge[™] 3.0 and PPS (Programmable Power Supply)
- Intertek GS-Approved

MediaRange GmbH Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29 Ort: D - 65812 Bad Soden Tel.: +49 (0)61 965 2381 80 Fax: +49 (0)61 965 2381 89 Internet: www.mediarange.de E-Mail: info@mediarange.de



- Suitable for simultaneous charging of several terminals
- Shock and fire resistant V0 polycarbonate housing
- Intelligent chipsets for permanent monitoring of the charging process
- 43W Charger for sockets (EU-Plug): AC 100-240V~50/60Hz; 1.0A (max.)
- USB Type-C® Power Delivery 3.0 output USB-C: 5.0V 3.0A (15.0W) or 9.0V - 2.77A (25.0W) or 12.0V - 2.1A (25.0W); PPS: 3.3-11.0V - 2.25A (7.4-24.75W)
- Quick Charge[™] 3.0 output USB-A: 5.0V 3.0A (15.0W) or 9.0V 2.0A (18.0W) or 12.0V 1.5A (18.0W); PPS: 3.3-5.9V 3.0A (9.9-17.7W)
- USB-C + USB-A: 43.0W (max.)
- Overvoltage protection, overcharge protection, short-circuit protection and overheating protection
- Dimensions: Approx. 52.3 x 92.4 x 27.7mm
- Weight: Approx. 101g
- Colour: White

MediaRange GmbH Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29 Ort: D – 65812 Bad S<u>oden</u> Tel.: +49 (0)61 965 2381 80 Fax: +49 (0)61 965 2381 89 Internet: www.mediarange.de E-Mail: info@mediarange.de



FEATURES

- Supporting Power Delivery 3.0, Quick Charge[™] 3.0, and PPS (Programmable Power Supply): Latest charging technologies ensuring your devices charge rapidly and efficiently, adapting to their unique power requirements.
- USB-C and USB-A Ports: Featuring 1x USB-C und 1x USB-A port, the adapter allows simultaneous charging of two devices with a combined output power of 43.0W.
- Intertek GS-Approved: Our charging adapters are manufactured in compliance with the highest safety standards and feature all relevant protective mechanisms, along with a shock-and fire-resistant V0-grade polycarbonate casing.
- Compact Dimensions: With dimensions of 52.3 x 92.4 x 27.7mm and a weight of 101g the MediaRange 43W Charging Adapter is designed to be compact and lightweight, making it an ideal travel companion.

APPLICATIONS

- Smartphones, Tablets and Laptops: Ensure constant connectivity for your crucial communication tools. Designed for efficiency and reliability, it provides a swift and consistent charge, keeping your smartphones, tablets and laptops powered at any time.
- Wearables: Optimize the performance of your smartwatches and fitness trackers. Engineered to meet the specific charging needs of wearables, it guarantees a quick and efficient power-up.
- Other Mobile Devices: Experience versatile charging for a range of mobile devices, from cameras to gaming controllers. Our charging solution provides a universal power source, ensuring optimal charging for all your tech essentials.

EAN Code Piece:4260664872535

EAN Code Carton:4260664872542

MediaRange GmbH Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29 Ort: D – 65812 Bad Soden Tel.: +49 (0)61 965 2381 80 Fax: +49 (0)61 965 2381 89 Internet: www.mediarange.de E-Mail: info@mediarange.de