## MRMA758

# MediaRange Powerbank 20.000mAh with integrated charging cable and LC-Display, 65W USB-C® Power Delivery and 22.5W Quick Charge™ enabled, 3x USB-C and 1x USB-A, black

**Reliable Power for Mobile Devices and Notebooks**

The MediaRange Power Bank with 20,000mAh (74Wh) battery capacity provides reliable power for smartphones, tablets, notebooks and other USB-powered devices. Featuring USB-C Power Delivery with up to 65W output, it supports fast charging for compatible laptops and mobile devices.

The integrated USB-C charging cable allows convenient charging and recharging without the need to carry an additional cable.

An LC-Display shows the remaining battery capacity in percent and indicates when fast charging is active, allowing you to monitor charging status at a glance.

USB-C and USB-A ports provide flexible connectivity and enable charging of multiple devices when needed.

MediaRange GmbH
Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29
Ort: D - 65812 Bad Soden

Tel.: +49 (0)61 965 2381 80
Fax: +49 (0)61 965 2381 89

Internet: www.mediarange.de
E-Mail: info@mediarange.de

MediaRange

MediaRange GmbH
Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29
Ort: D – 65812 Bad Soden

Tel.: +49 (0)61 965 2381 80
Fax: +49 (0)61 965 2381 89

Internet: www.mediarange.de
E-Mail: info@mediarange.de

## FEATURES

### Key Features

• High-capacity 20,000mAh[1] (74Wh) Powerbank

• Supports 65W Power Delivery® and 22.5W Quick Charge™ [2]

• Fast charging for compatible laptops, tablets and smartphones

• Charge up to four devices simultaneously (3x USB-C and 1x USB-A)

• Combined output power when using multiple ports: 5V?3A (15W max.) [3]

• Integrated 24cm USB-C charging cable with input and output function

• USB-C and USB-A charging ports

• LC-Display with battery percentage and fast charging indicator

• Recharge time: approx. 2.5 hours?

• Suitable for air travel within standard battery limits?

• Supports PD 3.0, PD 2.0, QC 3.0, QC 2.0, AFC, FCP, SFCP, PE1.1 and PE2.0 charging protocols

### Technical Data

- **Battery type:** 14.8V Li-Polymer (4x 3.7V 5,000mAh)
- **Capacity:** 20,000mAh nominal (12,000mAh rated @ 5V)
- **Battery energy:** 74Wh

**Input:**

- USB-C1 Port / USB-C3 Cable: 5V?3A / 9V?3A / 12V?3A / 15V?3A / 20V?3.25A (65W max.)

**Output power:**

MediaRange GmbH
Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29
Ort: D – 65812 Bad Soden

Tel.: +49 (0)61 965 2381 80
Fax: +49 (0)61 965 2381 89

Internet: www.mediarange.de
E-Mail: info@mediarange.de

- USB-C1 Port / USB-C3 Cable: 5V?3A / 9V?3A / 12V?3A / 15V?3A / 20V?3.25A (65W max.)
- USB-C2 / USB-A Port: 5V?3A, 9V?2A, 10V?2.25A, 12V?1.5A (22.5W max.)
- **Combined output power (shared):** 5.0V?3.0A (15W max.)

**Dimensions / Weight:**

- 108 × 50 × 46 mm / approx. 380 g

## APPLICATIONS

**Typical Applications**

**Travel**

Reliable power supply for smartphones, tablets, notebooks and other USB-powered devices while travelling.

**Mobile Working**

Ideal for charging compatible notebooks and mobile devices in offices, meetings or on the go.

**Everyday Use**

Provides additional power for mobile devices during daily activities, commuting and leisure time.

**Home Office**

Convenient backup power source for compatible laptops, tablets and smartphones.

**Notes**

Please read and follow the included user manual and safety instructions before use.

[1] Capacity: Nominal capacity refers to the theoretical energy stored in the internal battery cells.

MediaRange GmbH
Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29
Ort: D – 65812 Bad Soden

Tel.: +49 (0)61 965 2381 80
Fax: +49 (0)61 965 2381 89

Internet: www.mediarange.de
E-Mail: info@mediarange.de

Rated capacity indicates the usable output capacity at the device charging voltage and may be lower due to energy conversion and system losses. Actual usable capacity and charging speed depend on device, battery size, cable quality and operating conditions.[2] Fast charging requires compatible devices, chargers and cables.[3] When charging multiple devices simultaneously, output power is shared and charging speed may be reduced.? Based on charging via a compatible USB-C Power Delivery charger. Actual charging times may vary.? Suitable for air travel within standard battery limits. Please check airline regulations before your flight.

USB-C® and USB Power Delivery® are registered trademarks of USB Implementers Forum. Quick Charge™ is a trademark of Qualcomm Incorporated.

EAN Code Piece:4262543442433

EAN Code Carton:4262543442440

MediaRange GmbH
Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29
Ort: D - 65812 Bad Soden

Tel.: +49 (0)61 965 2381 80
Fax: +49 (0)61 965 2381 89

Internet: www.mediarange.de
E-Mail: info@mediarange.de